

## SECTION 1 GENERAL MANUFACTURER, IMPORTER, AND PROCESSOR INFORMATION

## PART A GENERAL REPORTING INFORMATION

1.01 This Comprehensive Assessment Information Rule (CAIR) Reporting Form has been completed in response to the Federal Register Notice of..... [1][2] [2][2] [8][8]  
 CBI mo. day year

- ☐ a. If a Chemical Abstracts Service Number (CAS No.) is provided in the Federal Register, list the CAS No. .... [0][2][6][4][7][1]-[6][2]-[5]
- b. If a chemical substance CAS No. is not provided in the Federal Register, list either (i) the chemical name, (ii) the mixture name, or (iii) the trade name of the chemical substance as provided in the Federal Register.
- (i) Chemical name as listed in the rule ..... N/A
- (ii) Name of mixture as listed in the rule .... N/A
- (iii) Trade name as listed in the rule ..... N/A
- c. If a chemical category is provided in the Federal Register, report the name of the category as listed in the rule, the chemical substance CAS No. you are reporting on which falls under the listed category, and the chemical name of the substance you are reporting on which falls under the listed category.
- Name of category as listed in the rule ..... N/A
- CAS No. of chemical substance ..... [ ][ ][ ][ ][ ][ ]-[ ][ ]-[ ][ ]
- Name of chemical substance ..... N/A

- 1.02 Identify your reporting status under CAIR by circling the appropriate response(s).
- CBI Manufacturer ..... 1
- ☐ Importer ..... 2
- Processor ..... ③
- X/P manufacturer reporting for customer who is a processor ..... 4
- X/P processor reporting for customer who is a processor ..... 5



000622483P

90-89 0000 326

☐ Mark (X) this box if you attach a continuation sheet.

1.03 Does the substance you are reporting on have an "x/p" designation associated with it in the above-listed Federal Register Notice?

CBI

Yes ..... [X] Go to question 1.04

[ ]

No ..... [ ] Go to question 1.05

1.04 a. Do you manufacture, import, or process the listed substance and distribute it under a trade name(s) different than that listed in the Federal Register Notice? Circle the appropriate response.

CBI

Yes ..... 1

[ ]

No ..... (2)

b. Check the appropriate box below:

[ ] You have chosen to notify your customers of their reporting obligations

Provide the trade name(s) .... N/A

N/A

[ ] You have chosen to report for your customers

[ ] You have submitted the trade name(s) to EPA one day after the effective date of the rule in the Federal Register Notice under which you are reporting.

1.05 If you buy a trade name product and are reporting because you were notified of your reporting requirements by your trade name supplier, provide that trade name.

CBI

Trade name ..... 585534 Elastan 6059 U ISO

[ ]

Is the trade name product a mixture? Circle the appropriate response.

Yes ..... 1

No ..... (2)

1.06 Certification -- The person who is responsible for the completion of this form must sign the certification statement below:

CBI

[ ] "I hereby certify that, to the best of my knowledge and belief, all information entered on this form is complete and accurate."

Normita G. Callison

NAME

*Normita G. Callison*

SIGNATURE

9/27/89

DATE SIGNED

Chief Control Engineer

TITLE

( 916 )

645 - 3341

TELEPHONE NO.

[ ] Mark (X) this box if you attach a continuation sheet.

- 1.07 Exemptions From Reporting -- If you have provided EPA or another Federal agency with the required information on a CAIR Reporting Form for the listed substance within the past 3 years, and this information is current, accurate, and complete for the time period specified in the rule, then sign the certification below. You CBI ☐ are required to complete section 1 of this CAIR form and provide any information now required but not previously submitted. Provide a copy of any previous submissions along with your Section 1 submission.

"I hereby certify that, to the best of my knowledge and belief, all required information which I have not included in this CAIR Reporting Form has been submitted to EPA within the past 3 years and is current, accurate, and complete for the time period specified in the rule."

_____ N/A NAME	_____ SIGNATURE	_____ DATE SIGNED
_____ TITLE	(_____) - TELEPHONE NO.	_____ DATE OF PREVIOUS SUBMISSION

- 1.08 CBI Certification -- If you have asserted any CBI claims in this report you must certify that the following statements truthfully and accurately apply to all of those confidentiality claims which you have asserted.

CBI ☐ "My company has taken measures to protect the confidentiality of the information, and it will continue to take these measures; the information is not, and has not been, reasonably ascertainable by other persons (other than government bodies) by using legitimate means (other than discovery based on a showing of special need in a judicial or quasi-judicial proceeding) without my company's consent; the information is not publicly available elsewhere; and disclosure of the information would cause substantial harm to my company's competitive position."

_____ N/A NAME	_____ SIGNATURE	_____ DATE SIGNED
_____ TITLE	(_____) - TELEPHONE NO.	

☐ Mark (X) this box if you attach a continuation sheet.



CBI Name [P][A][C][I][F][I][C][ ][C][O][A][S][T][ ][B][L][D][G][ ][P][R][O][D][U][C][T]

[S][A][C][R][A][M][E][N][T][O] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]  
City

[C] [A]  
State

[9] [5] [8] [1] [6] -- [ ] [ ] [ ] [ ]  
Zip

## 1.12 Technical Contact

CBI    Name   [ N ] [ O ] [ R ] [ M ] [ I ] [ T ] [ A ] [ ] [ G ] [ ] [ C ] [ A ] [ L ] [ L ] [ I ] [ S ] [ O ] [ N ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]

[ ] Title [C][H][I][E][F][ ][C][O][N][T][R][O][L][ ][E][N][G][I][N][E][E][R][ ][ ][ ][ ]

Address [6][0][1][\_][7][t][h][\_][S][T][R][E][E][T][\_][\_][\_][\_][\_][\_][\_][\_][\_][\_]

Street

[illegible]

[C] [A]      [9] [5] [6] [4] [8]--[ ] [ ] [ ] [ ]  
State                  Zip

Telephone Number .....[9][1][6]-[6][4][5]-[3][3][4][1]

1.13 This reporting year is from ..... [0] [4] [8] [7] to [0] [3] [8] [8]  
Mo. Year Mo. Year

☐ Mark (X) this box if you attach a continuation sheet.



1.16 For each classification listed below, state the quantity of the listed substance that was manufactured, imported, or processed at your facility during the reporting year.

CBI  
☐ Classification Quantity (kg/yr)

Manufactured ..... N/A

Imported ..... N/A

Processed (include quantity repackaged) ..... 67,385 kg

Of that quantity manufactured or imported, report that quantity:

In storage at the beginning of the reporting year ..... N/A

For on-site use or processing ..... N/A

For direct commercial distribution (including export) ..... N/A

In storage at the end of the reporting year ..... N/A

Of that quantity processed, report that quantity:

In storage at the beginning of the reporting year ..... 10,056 kg

Processed as a reactant (chemical producer) ..... N/A

Processed as a formulation component (mixture producer) ..... N/A

Processed as an article component (article producer) ..... 67,385 kg

Repackaged (including export) ..... N/A

In storage at the end of the reporting year ..... 5,993 kg

☐ Mark (X) this box if you attach a continuation sheet.

2.04 State the quantity of the listed substance that your facility manufactured, imported, or processed during the 3 corporate fiscal years preceding the reporting year in descending order.

CBI

☐ Year ending ..... [0]3 [8]7  
Mo. Year

Quantity manufactured ..... N/A kg

Quantity imported ..... N/A kg

Quantity processed ..... 59,352 kg

Year ending ..... [0]3 [8]6  
Mo. Year

Quantity manufactured ..... N/A kg

Quantity imported ..... N/A kg

Quantity processed ..... 48,554 kg

Year ending ..... [0]3 [8]5  
Mo. Year

Quantity manufactured ..... N/A kg

Quantity imported ..... N/A kg

Quantity processed ..... 49,585 kg

2.05 Specify the manner in which you manufactured the listed substance. Circle all appropriate process types.

CBI

☐ Continuous process ..... 1

Semicontinuous process ..... 2

Batch process ..... 3

RESPONSE NOT REQUIRED FOR TDI

☐ Mark (X) this box if you attach a continuation sheet.



2.06 Specify the manner in which you processed the listed substance. Circle all appropriate process types.

- ☐ Continuous process ..... 1
- ☐ Semicontinuous process ..... 2
- ☐ Batch process ..... 3

2.07 State your facility's name-plate capacity for manufacturing or processing the listed substance. (If you are a batch manufacturer or batch processor, do not answer this question.)

- ☐ Manufacturing capacity ..... N/A kg/yr
- ☐ Processing capacity ..... U K kg/yr

2.08 If you intend to increase or decrease the quantity of the listed substance manufactured, imported, or processed at any time after your current corporate fiscal year, estimate the increase or decrease based upon the reporting year's production volume.

<input type="checkbox"/>	Manufacturing Quantity (kg)	Importing Quantity (kg)	Processing Quantity (kg)
Amount of increase			<u>N/A</u>
Amount of decrease			<u>N/A</u>

☐ Mark (X) this box if you attach a continuation sheet.

- 2.09 For the three largest volume manufacturing or processing process types involving the listed substance, specify the number of days you manufactured or processed the listed substance during the reporting year. Also specify the average number of hours per day each process type was operated. (If only one or two operations are involved, list those.)

CBI

☐

Days/Year      Average  
Hours/Day

Process Type #1 (The process type involving the largest quantity of the listed substance.)

Manufactured .....	<u>N/A</u>	<u>N/A</u>
Processed .....	<u>257</u>	<u>8</u>

Process Type #2 (The process type involving the 2nd largest quantity of the listed substance.)

Manufactured .....	<u>N/A</u>	<u>N/A</u>
Processed .....	<u>N/A</u>	<u>N/A</u>

Process Type #3 (The process type involving the 3rd largest quantity of the listed substance.)

Manufactured .....	<u>N/A</u>	<u>N/A</u>
Processed .....	<u>N/A</u>	<u>N/A</u>

- 2.10 State the maximum daily inventory and average monthly inventory of the listed substance that was stored on-site during the reporting year in the form of a bulk chemical.

CBI

☐

Maximum daily inventory ..... kg

Average monthly inventory ..... kg

RESPONSE NOT REQUIRED FOR TDI

☐ Mark (X) this box if you attach a continuation sheet.

2.11 Related Product Types -- List any byproducts, coproducts, or impurities present with the listed substance in concentrations greater than 0.1 percent as it is manufactured, imported, or processed. The source of byproducts, coproducts, or impurities means the source from which the byproducts, coproducts, or impurities are made or introduced into the product (e.g., carryover from raw material, reaction product, etc.).

CBI

☐

<u>CAS No.</u>	<u>Chemical Name</u>	<u>Byproduct, Coproduct or Impurity<sup>1</sup></u>	<u>Concentration (%) (specify <math>\pm</math> % precision)</u>	<u>Source of Byproducts, Coproducts, or Impurities</u>
<u>U K</u>	<u>U K</u>	<u>UK</u>	<u>UK</u>	<u>UK</u>
<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>

<sup>1</sup>Use the following codes to designate byproduct, coproduct, or impurity:

B = Byproduct  
C = Coproduct  
I = Impurity

☐ Mark (X) this box if you attach a continuation sheet.

- 2.12 Existing Product Types -- List all existing product types which you manufactured, imported, or processed using the listed substance during the reporting year. List the quantity of listed substance you use for each product type as a percentage of the total volume of listed substance used during the reporting year. Also list the quantity of listed substance used captively on-site as a percentage of the value listed under column b., and the types of end-users for each product type. (Refer to ☐ the instructions for further explanation and an example.)

CBI

a.	b.	c.	d.
Product Types <sup>1</sup>	% of Quantity Manufactured, Imported, or Processed	% of Quantity Used Captively On-Site	Type of End-Users <sup>2</sup>
B	100%	0%	H

<sup>1</sup>Use the following codes to designate product types:

A = Solvent	L = Moldable/Castable/Rubber and additives
B = Synthetic reactant	M = Plasticizer
C = Catalyst/Initiator/Accelerator/ Sensitizer	N = Dye/Pigment/Colorant/Ink and additives
D = Inhibitor/Stabilizer/Scavenger/ Antioxidant	O = Photographic/Reprographic chemical and additives
E = Analytical reagent	P = Electrodeposition/Plating chemicals
F = Chelator/Coagulant/Sequestrant	Q = Fuel and fuel additives
G = Cleanser/Detergent/Degreaser	R = Explosive chemicals and additives
H = Lubricant/Friction modifier/Antiwear agent	S = Fragrance/Flavor chemicals
I = Surfactant/Emulsifier	T = Pollution control chemicals
J = Flame retardant	U = Functional fluids and additives
K = Coating/Binder/Adhesive and additives	V = Metal alloy and additives
	W = Rheological modifier
	X = Other (specify) _____

<sup>2</sup>Use the following codes to designate the type of end-users:

I = Industrial	CS = Consumer
CM = Commercial	H = Other (specify) <u>Municipal Sewer System</u>

☐ Mark (X) this box if you attach a continuation sheet.

2.13 Expected Product Types -- Identify all product types which you expect to manufacture, import, or process using the listed substance at any time after your current corporate fiscal year. For each use, specify the quantity you expect to manufacture, import, or process for each use as a percentage of the total volume of listed substance used during the reporting year. Also list the quantity of listed substance used captively on-site as a percentage of the value listed under column b., and the types of end-users for each product type. (Refer to the instructions for further explanation and an example.)

CBI

☐

a.	b.	c.	d.
Product Types <sup>1</sup>	% of Quantity Manufactured, Imported, or Processed	% of Quantity Used Captively On-Site	Type of End-Users <sup>2</sup>
B	100%	0%	H

<sup>1</sup>Use the following codes to designate product types:

A = Solvent	L = Moldable/Castable/Rubber and additives
B = Synthetic reactant	M = Plasticizer
C = Catalyst/Initiator/Accelerator/ Sensitizer	N = Dye/Pigment/Colorant/Ink and additives
D = Inhibitor/Stabilizer/Scavenger/ Antioxidant	O = Photographic/Reprographic chemical and additives
E = Analytical reagent	P = Electrodeposition/Plating chemicals
F = Chelator/Coagulant/Sequestrant	Q = Fuel and fuel additives
G = Cleanser/Detergent/Degreaser	R = Explosive chemicals and additives
H = Lubricant/Friction modifier/Antiwear agent	S = Fragrance/Flavor chemicals
I = Surfactant/Emulsifier	T = Pollution control chemicals
J = Flame retardant	U = Functional fluids and additives
K = Coating/Binder/Adhesive and additives	V = Metal alloy and additives
	W = Rheological modifier
	X = Other (specify) _____

<sup>2</sup>Use the following codes to designate the type of end-users:

I = Industrial	CS = Consumer
CM = Commercial	H = Other (specify) <u>Municipal Sewer System</u>

☐ Mark (X) this box if you attach a continuation sheet.

2.14 Final Product -- Complete the following table for each type of final product manufactured, imported, or processed at your facility that contains the listed substance other than as an impurity.

☐

a.	b.	c.	d.
Product Type <sup>1</sup>	Final Product's Physical Form <sup>2</sup>	Average % Composition of Listed Substance in Final Product	Type of End-Users <sup>3</sup>
N/A	N/A	N/A	N/A

<sup>1</sup>Use the following codes to designate product types:

A = Solvent	L = Moldable/Castable/Rubber and additives
B = Synthetic reactant	M = Plasticizer
C = Catalyst/Initiator/Accelerator/Sensitizer	N = Dye/Pigment/Colorant/Ink and additives
D = Inhibitor/Stabilizer/Scavenger/Antioxidant	O = Photographic/Reprographic chemical and additives
E = Analytical reagent	P = Electrodeposition/Plating chemicals
F = Chelator/Coagulant/Sequestrant	Q = Fuel and fuel additives
G = Cleanser/Detergent/Degreaser	R = Explosive chemicals and additives
H = Lubricant/Friction modifier/Antiwear agent	S = Fragrance/Flavor chemicals
I = Surfactant/Emulsifier	T = Pollution control chemicals
J = Flame retardant	U = Functional fluids and additives
K = Coating/Binder/Adhesive and additives	V = Metal alloy and additives
	W = Rheological modifier
	X = Other (specify) _____

<sup>2</sup>Use the following codes to designate the final product's physical form:

A = Gas	F2 = Crystalline solid
B = Liquid	F3 = Granules
C = Aqueous solution	F4 = Other solid
D = Paste	G = Gel
E = Slurry	H = Other (specify) _____
F1 = Powder	

<sup>3</sup>Use the following codes to designate the type of end-users:

I = Industrial	CS = Consumer
CM = Commercial	H = Other (specify) _____

☐ Mark (X) this box if you attach a continuation sheet.

2.15 Circle all applicable modes of transportation used to deliver bulk shipments of the  
CBI listed substance to off-site customers.

☐ Truck ..... N/A ..... 1  
Railcar ..... N/A ..... 2  
Barge, Vessel ..... N/A ..... 3  
Pipeline ..... N/A ..... 4  
Plane ..... N/A ..... 5  
Other (specify) \_\_\_\_\_ 6

2.16 Customer Use -- Estimate the quantity of the listed substance used by your customers  
CBI or prepared by your customers during the reporting year for use under each category  
of end use listed (i-iv).

☐

Category of End Use

i. Industrial Products

Chemical or mixture ..... N/A kg/yr

Article ..... N/A kg/yr

ii. Commercial Products

Chemical or mixture ..... N/A kg/yr

Article ..... N/A kg/yr

iii. Consumer Products

Chemical or mixture ..... N/A kg/yr

Article ..... N/A kg/yr

iv. Other

Distribution (excluding export) ..... N/A kg/yr

Export ..... N/A kg/yr

Quantity of substance consumed as reactant ..... N/A kg/yr

Unknown customer uses ..... N/A kg/yr

☐ Mark (X) this box if you attach a continuation sheet.

# SECTION 3 PROCESSOR RAW MATERIAL IDENTIFICATION

## PART A GENERAL DATA

3.01 Specify the quantity purchased and the average price paid for the listed substance for each major source of supply listed. Product trades are treated as purchases.  
CBI The average price is the market value of the product that was traded for the listed substance.

☐

<u>Source of Supply</u>	<u>Quantity (kg)</u>	<u>Average Price (\$/kg)</u>
The listed substance was manufactured on-site.	<u>N/A</u>	<u>N/A</u>
The listed substance was transferred from a different company site.	<u>N/A</u>	<u>N/A</u>
The listed substance was purchased directly from a manufacturer or importer.	<u>63,323</u>	<u>\$3.102</u>
The listed substance was purchased from a distributor or repackager.	<u>N/A</u>	<u>N/A</u>
The listed substance was purchased from a mixture producer.	<u>N/A</u>	<u>N/A</u>

3.02 Circle all applicable modes of transportation used to deliver the listed substance to your facility.

CBI

☐

Truck .....	①
Railcar .....	2
Barge, Vessel .....	3
Pipeline .....	4
Plane .....	5
Other (specify) _____	6

☐ Mark (X) this box if you attach a continuation sheet.



3.03 a. Circle all applicable containers used to transport the listed substance to your  
CBI facility.

☐

Bags ..... 1  
Boxes ..... 2  
Free standing tank cylinders ..... 3  
Tank rail cars ..... 4  
Hopper cars ..... 5  
Tank trucks ..... 6  
Hopper trucks ..... 7  
Drums ..... 8  
Pipeline ..... 9  
Other (specify) \_\_\_\_\_ 10

b. If the listed substance is transported in pressurized tank cylinders, tank rail cars, or tank trucks, state the pressure of the tanks.

Tank cylinders ..... N/A mmHg  
Tank rail cars ..... N/A mmHg  
Tank trucks ..... N/A mmHg

☐ Mark (X) this box if you attach a continuation sheet.

---

PART B RAW MATERIAL IN THE FORM OF A MIXTURE

---

3.04 If you obtain the listed substance in the form of a mixture, list the trade name(s) of the mixture, the name of its supplier(s) or manufacturer(s), an estimate of the CBI average percent composition by weight of the listed substance in the mixture, and the amount of mixture processed during the reporting year.

☐

<u>Trade Name</u>	<u>Supplier or Manufacturer</u>	<u>Average % Composition by Weight (specify <math>\pm</math> % precision)</u>	<u>Amount Processed (kg/yr)</u>
<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>

---

☐ Mark (X) this box if you attach a continuation sheet.

---

---

PART C RAW MATERIAL VOLUME

---

3.05 State the quantity of the listed substance used as a raw material during the reporting year in the form of a class I chemical, class II chemical, or polymer, and the percent composition, by weight, of the listed substance.

☐

	Quantity Used (kg/yr)	% Composition by Weight of Listed Sub- stance in Raw Material (specify $\pm$ % precision)
Class I chemical	67,385 kg	100%
	N/A	N/A
	N/A	N/A
Class II chemical	N/A	N/A
	N/A	N/A
	N/A	N/A
Polymer	N/A	N/A
	N/A	N/A
	N/A	N/A

---

☐ Mark (X) this box if you attach a continuation sheet.

---

---

## SECTION 4 PHYSICAL/CHEMICAL PROPERTIES

---

### General Instructions:

If you are reporting on a mixture as defined in the glossary, reply to questions in Section 4 that are inappropriate to mixtures by stating "NA -- mixture."

For questions 4.06-4.15, if you possess any hazard warning statement, label, MSDS, or other notice that addresses the information requested, you may submit a copy or reasonable facsimile in lieu of answering those questions which it addresses.

---

### PART A PHYSICAL/CHEMICAL DATA SUMMARY

---

- 4.01 Specify the percent purity for the three major<sup>1</sup> technical grade(s) of the listed substance as it is manufactured, imported, or processed. Measure the purity of the substance in the final product form for manufacturing activities, at the time you import the substance, or at the point you begin to process the substance.

☐ CBI

	<u>Manufacture</u>	<u>Import</u>	<u>Process</u>
Technical grade #1	<u>N/A</u> % purity	<u>N/A</u> % purity	<u>50</u> % purity
Technical grade #2	<u>N/A</u> % purity	<u>N/A</u> % purity	<u>N/A</u> % purity
Technical grade #3	<u>N/A</u> % purity	<u>N/A</u> % purity	<u>N/A</u> % purity

---

<sup>1</sup>Major = Greatest quantity of listed substance manufactured, imported or processed.

- 4.02 Submit your most recently updated Material Safety Data Sheet (MSDS) for the listed substance, and for every formulation containing the listed substance. If you possess an MSDS that you developed and an MSDS developed by a different source, submit your version. Indicate whether at least one MSDS has been submitted by circling the appropriate response.

Yes ..... (1)

No ..... 2

Indicate whether the MSDS was developed by your company or by a different source.

Your company ..... 1

Another source ..... (2)

---

☐ Mark (X) this box if you attach a continuation sheet.

---

4.03 Submit a copy or reasonable facsimile of any hazard information (other than an MSDS) that is provided to your customers/users regarding the listed substance or any formulation containing the listed substance. Indicate whether this information has been submitted by circling the appropriate response.

Yes ..... ①

No ..... 2

4.04 For each activity that uses the listed substance, circle all the applicable number(s) corresponding to each physical state of the listed substance during the activity listed. Physical states for importing and processing activities are determined at the time you import or begin to process the listed substance. Physical states for manufacturing, storage, disposal and transport activities are determined using the final state of the product.

CBI

☐

Activity	Physical State				
	Solid	Slurry	Liquid	Liquified Gas	Gas
Manufacture	1	2	3	4	5
Import	1	2	3	4	5
Process	1	2	③	4	5
Store	1	2	③	4	5
Dispose	1	2	3	4	5
Transport	1	2	3	4	5

☐ Mark (X) this box if you attach a continuation sheet.

4.05 Particle Size -- If the listed substance exists in particulate form during any of the following activities, indicate for each applicable physical state the size and the percentage distribution of the listed substance by activity. Do not include particles  $\geq 10$  microns in diameter. Measure the physical state and particle sizes for importing and processing activities at the time you import or begin to process the listed substance. Measure the physical state and particle sizes for manufacturing storage, disposal and transport activities using the final state of the product.

CBI

☐

<u>Physical State</u>		<u>Manufacture</u>	<u>Import</u>	<u>Process</u>	<u>Store</u>	<u>Dispose</u>	<u>Transport</u>
Dust	<1 micron	_____	_____	N/A	_____	_____	_____
	1 to <5 microns	_____	_____	N/A	_____	_____	_____
	5 to <10 microns	_____	_____	N/A	_____	_____	_____
Powder	<1 micron	_____	_____	N/A	_____	_____	_____
	1 to <5 microns	_____	_____	N/A	_____	_____	_____
	5 to <10 microns	_____	_____	N/A	_____	_____	_____
Fiber	<1 micron	_____	_____	N/A	_____	_____	_____
	1 to <5 microns	_____	_____	N/A	_____	_____	_____
	5 to <10 microns	_____	_____	N/A	_____	_____	_____
Aerosol	<1 micron	_____	_____	N/A	_____	_____	_____
	1 to <5 microns	_____	_____	N/A	_____	_____	_____
	5 to <10 microns	_____	_____	N/A	_____	_____	_____

☐ Mark (X) this box if you attach a continuation sheet.

---

SECTION 5 ENVIRONMENTAL FATE

---

PART A RATE CONSTANTS AND TRANSFORMATION PRODUCTS

---

5.01 Indicate the rate constants for the following transformation processes.

a. Photolysis:

Absorption spectrum coefficient (peak) .... U K (1/M cm) at U K nm

Reaction quantum yield,  $\phi$  ..... U K at U K nm

Direct photolysis rate constant,  $k_p$ , at ... U K 1/hr        latitude

b. Oxidation constants at 25°C:

For  $^1O_2$  (singlet oxygen),  $k_{ox}$  ..... U K 1/M hr

For  $RO_2$  (peroxy radical),  $k_{ox}$  ..... U K 1/M hr

c. Five-day biochemical oxygen demand,  $BOD_5$  ... U K mg/l

d. Biotransformation rate constant:

For bacterial transformation in water,  $k_b$ ... U K 1/hr

Specify culture ..... U K

e. Hydrolysis rate constants:

For base-promoted process,  $k_B$  ..... U K 1/M hr

For acid-promoted process,  $k_A$  ..... U K 1/M hr

For neutral process,  $k_N$  ..... U K 1/hr

f. Chemical reduction rate (specify conditions) U K

g. Other (such as spontaneous degradation) ... U K

U K

---

☐ Mark (X) this box if you attach a continuation sheet.

---

PART B PARTITION COEFFICIENTS

5.02 a. Specify the half-life of the listed substance in the following media.

<u>Media</u>	<u>Half-life (specify units)</u>
Groundwater	<u>&lt;1 year</u>
Atmosphere	<u>3.3 years</u>
Surface water	<u>0.5 seconds to 3 days (ph &amp; temp.)</u>
Soil	<u>N.A.</u>

b. Identify the listed substance's known transformation products that have a half-life greater than 24 hours.

<u>CAS No.</u>	<u>Name</u>	<u>Half-life (specify units)</u>	<u>Media</u>
a. <u>N.A.</u>	<u>3, 3' - diisocyanato-</u>		in _____
	<u>4,4'-dimethyl carbanilide</u>	<u>N.A.</u>	in <u>H<sub>2</sub>O</u>
b. <u>N.A.</u>	<u>2,2'-dimethyl</u>		in _____
	<u>3,3' diisocyanato carbanilide</u>	<u>N.A.</u>	in <u>H<sub>2</sub>O</u>
c. <u>N.A.</u>	<u>Higher TDI - urea oligomers</u>	<u>N.A.</u>	in <u>H<sub>2</sub>O</u>

5.03 Specify the octanol-water partition coefficient,  $K_{ow}$  ... 0.21 at 25°C  
 Method of calculation or determination ..... From Log P Value

5.04 Specify the soil-water partition coefficient,  $K_d$  ..... N/A\* at 25°C  
 Soil type ..... N/A

5.05 Specify the organic carbon-water partition coefficient,  $K_{oc}$  ..... N/A\* at 25°C

5.06 Specify the Henry's Law Constant, H ..... N/A\* atm-m<sup>3</sup>/mole  
 \*Decomposes rapidly in H<sub>2</sub>O

☐ Mark (X) this box if you attach a continuation sheet.



5.07 List the bioconcentration factor (BCF) of the listed substance, the species for which it was determined, and the type of test used in deriving the BCF.

<u>Bioconcentration Factor</u>	<u>Species</u>	<u>Test</u> <sup>1</sup>
<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
<u>                    </u>	<u>                    </u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>

<sup>1</sup>Use the following codes to designate the type of test:

F = Flowthrough  
S = Static

☐ Mark (X) this box if you attach a continuation sheet.

## SECTION 7 MANUFACTURING AND PROCESSING INFORMATION

### General Instructions:

For questions 7.04-7.06, provide a separate response for each process block flow diagram provided in questions 7.01, 7.02, and 7.03. Identify the process type from which the information is extracted.


### PART A MANUFACTURING AND PROCESSING PROCESS TYPE DESCRIPTION

7.01 In accordance with the instructions, provide a process block flow diagram showing the major (greatest volume) process type involving the listed substance.

CBI

☐ Process type ..... Polyurethane Joints Speed Sealant


POLYURETHANE JOINT FOR SEWER PIPE



7.03 In accordance with the instructions, provide a process block flow diagram showing all process emission streams and emission points that contain the listed substance and which, if combined, would total at least 90 percent of all facility emissions if not treated before emission into the environment. If all such emissions are released from one process type, provide a process block flow diagram using the instructions for question 7.01. If all such emissions are released from more than one process type, provide a process block flow diagram showing each process type as a separate block.

CBI

☐ Process type ..... Polyurethane Joints Speed Sealant



☐ Mark (X) this box if you attach a continuation sheet.

7.04 Describe the typical equipment types for each unit operation identified in your process block flow diagram(s). If a process block flow diagram is provided for more than one process type, photocopy this question and complete it separately for each process type.

CBI

☐ Process type ..... POLYURETHANE JOINT SPEED SEALANT

<u>Unit Operation ID Number</u>	<u>Typical Equipment Type</u>	<u>Operating Temperature Range (°C)</u>	<u>Operating Pressure Range (mm Hg)</u>	<u>Vessel Composition</u>
<u>7.1</u>	<u>Filter &amp; Pump</u>	<u>Ambient</u>	<u>1300</u>	<u>Carbon Steel</u>
<u>7.2 &amp; 7.10</u>	<u>N<sub>2</sub> Tanks</u>	<u>Ambient</u>	<u>1810</u>	<u>Cr-Mo Steel</u>
<u>7.3 &amp; 7.9</u>	<u>Holding Tanks</u>	<u>27°C - 33°C</u>	<u>1550</u>	<u>Carbon Steel</u>
<u>7.4 &amp; 7.12</u>	<u>Filter</u>	<u>Ambient</u>	<u>Atmospheric</u>	<u>Carbon Steel</u>
<u>7.5 &amp; 7.13</u>	<u>Metering Pumps</u>	<u>Ambient</u>	<u>1300</u>	<u>Stainless Steel</u>
<u>7.6</u>	<u>Air Line</u>	<u>Ambient</u>	<u>1550</u>	<u>Cast Iron</u>
<u>7.7</u>	<u>Holding Tanks</u>	<u>Ambient</u>	<u>1550</u>	<u>Carbon Steel</u>
<u>7.11</u>	<u>Release Vents</u>	<u>Ambient</u>	<u>N/A</u>	<u>Galvanized</u>
<u>7.8</u>	<u>Mixing Head</u>	<u>Ambient</u>	<u>2068</u>	<u>Galvanized</u>
<u>7.14</u>	<u>Flushing Vents</u>	<u>Ambient</u>	<u>Atmospheric</u>	<u>Galvanized</u>
<u>7.15</u>	<u>Fan Vents</u>	<u>Ambient</u>	<u>Atmospheric</u>	<u>Galvanized</u>
<u>7.16</u>	<u>Mold Pourings</u>	<u>Ambient</u>	<u>Atmospheric</u>	<u>C.I.</u>
<u>7.17</u>	<u>Curing Oven</u>	<u>60°C - 70°C</u>	<u>Atmospheric</u>	<u>Refractory Brick</u>
<u>7.18</u>	<u>Trimming Table</u>	<u>Ambient</u>	<u>Atmospheric</u>	<u>N/A</u>
<u>7.19 &amp; 7.20</u>	<u>(Scrap)</u>	<u>Ambient</u>	<u>Atmospheric</u>	<u>N/A</u>
<u>7.21</u>	<u>(Landfill)</u>	<u>Ambient</u>	<u>Atmospheric</u>	<u>N/A</u>
<u>7.22</u>	<u>(Vitrified Clay)</u>	<u>60°C - 70°C</u>	<u>Atmospheric</u>	<u>N/A</u>
<u>7.23</u>	<u>Vitrified Clay Preheater</u>	<u>53°C</u>	<u>Atmospheric</u>	<u>N/A</u>
<u>7.24</u>	<u>(Waste Clay)</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>

☐ Mark (X) this box if you attach a continuation sheet.

7.05 Describe each process stream identified in your process block flow diagram(s). If a process block flow diagram is provided for more than one process type, photocopy this question and complete it separately for each process type.

CBI

[ ] Process type ..... Polyurethane Joint Sealant

<u>Process Stream ID Code</u>	<u>Process Stream Description</u>	<u>Physical State<sup>1</sup></u>	<u>Stream Flow (kg/yr)</u>
<u>7.A,7.C,7.D,7.E</u>	<u>Polyol</u>	<u>OL</u>	<u>510,778</u>
<u>7.B,7.I,7.K,7.L</u>	<u>T.D.I.</u>	<u>OL</u>	<u>67,385</u>
<u>7.F</u>	<u>Air</u>	<u>GU</u>	<u>U K</u>
<u>7.CC,7.H</u>	<u>N<sub>2</sub></u>	<u>GU</u>	<u>U K</u>
<u>7.G,7.N</u>	<u>Methylene Chloride</u>	<u>OL</u>	<u>14,487</u>
<u>7.M,7.MM,7.P</u>	<u>Polyurethane</u>	<u>OL</u>	<u>U K</u>
<u>7.Q,7.R,7.S</u>	<u>Polyurethane Joint</u>	<u>SO</u>	<u>523,401</u>
<u>7.T,7.TT</u>	<u>Polyurethane Scrap</u>	<u>SO</u>	<u>54,772 (±)</u>
<u>7.U</u>	<u>Waste Clay</u>	<u>SO</u>	<u>U K</u>

<sup>1</sup>Use the following codes to designate the physical state for each process stream:

GC = Gas (condensable at ambient temperature and pressure)  
 GU = Gas (uncondensable at ambient temperature and pressure)  
 SO = Solid  
 SY = Sludge or slurry  
 AL = Aqueous liquid  
 OL = Organic liquid  
 IL = Immiscible liquid (specify phases, e.g., 90% water, 10% toluene)

[ ] Mark (X) this box if you attach a continuation sheet.

7.06 Characterize each process stream identified in your process block flow diagram(s). If a process block flow diagram is provided for more than one process type, photocopy this question and complete it separately for each process type. (Refer to the CBI instructions for further explanation and an example.)

☐ Process type ..... Polyurethane Joint Sealant

a.	b.	c.	d.	e.
Process Stream ID Code	Known Compounds <sup>1</sup>	Concentrations <sup>2,3</sup> (% or ppm)	Other Expected Compounds	Estimated Concentrations (% or ppm)
7.A, 7.C, 7.D, 7.E	<u>Polyol</u>	<u>100%</u>	<u>N/A</u>	<u>N/A</u>
7.B, 7.I, 7.K, 7.L	<u>TDI</u>	<u>50%</u>	<u>Prepolymer</u>	<u>50%</u>
7.CC & 7.H	<u>Nitrogen Gas</u>	<u>100%</u>	<u>N/A</u>	<u>N/A</u>
7.G, 7.N	<u>Methylene Chloride</u>	<u>100%</u>	<u>N/A</u>	<u>N/A</u>
7.M, 7.MM	<u>Polyurethane (L)</u>	<u>100%</u>	<u>N/A</u>	<u>N/A</u>
7.P, 7.Q, 7.S, 7.R & 7.T	<u>Polyurethane (SO)</u>	<u>100%</u>	<u>N/A</u>	<u>N/A</u>
7.U	<u>Raw Ground Clay</u>	<u>100%</u>	<u>N/A</u>	<u>N/A</u>

7.06 continued below

☐ Mark (X) this box if you attach a continuation sheet.

7.06 (continued)

<sup>1</sup>For each additive package introduced into a process stream, specify the compounds that are present in each additive package, and the concentration of each component. Assign an additive package number to each additive package and list this number in column b. (Refer to the instructions for further explanation and an example. Refer to the glossary for the definition of additive package.)

Additive Package Number	Components of Additive Package	Concentrations (% or ppm)
<u>1</u>	<u>N/A</u>	<u>N/A</u>
<u>2</u>		
<u>3</u>		
<u>4</u>		
<u>5</u>		

<sup>2</sup>Use the following codes to designate how the concentration was determined:

A = Analytical result  
E = Engineering judgement/calculation

<sup>3</sup>Use the following codes to designate how the concentration was measured:

V = Volume  
W = Weight

☐ Mark (X) this box if you attach a continuation sheet.

8.05 Characterize each process stream identified in your residual treatment block flow diagram(s). If a residual treatment block flow diagram is provided for more than one process type, photocopy this question and complete it separately for each process type. (Refer to the instructions for further explanation and an example.)

[illegible]

☐ Mark (X) this box if you attach a continuation sheet.



---

8.05 (continued)

<sup>1</sup>Use the following codes to designate the type of hazardous waste:

I = Ignitable  
C = Corrosive  
R = Reactive  
E = EP toxic  
T = Toxic  
H = Acutely hazardous

<sup>2</sup>Use the following codes to designate the physical state of the residual:

GC = Gas (condensable at ambient temperature and pressure)  
GU = Gas (uncondensable at ambient temperature and pressure)  
SO = Solid  
SY = Sludge or slurry  
AL = Aqueous liquid  
OL = Organic liquid  
IL = Immiscible liquid (specify phases, e.g., 90% water, 10% toluene)

---

8.05 continued below

---

☐ Mark (X) this box if you attach a continuation sheet.

---

8.05 (continued)

<sup>3</sup>For each additive package introduced into a process stream, specify the compounds that are present in each additive package, and the concentration of each component. Assign an additive package number to each additive package and list this number in column d. (Refer to the instructions for further explanation and an example. Refer to the glossary for the definition of additive package.)

Additive Package Number	Components of Additive Package	Concentrations (% or ppm)
<u>1</u>	<u>N/A</u>	<u>N/A</u>
<u>2</u>		
<u>3</u>		
<u>4</u>		
<u>5</u>		

<sup>4</sup>Use the following codes to designate how the concentration was determined:

A = Analytical result

E = Engineering judgement/calculation

8.05 continued below

☐ Mark (X) this box if you attach a continuation sheet.

---

8.05 (continued)

<sup>5</sup>Use the following codes to designate how the concentration was measured:

V = Volume

W = Weight

<sup>6</sup>Specify the analytical test methods used and their detection limits in the table below. Assign a code to each test method used and list those codes in column e.

<u>Code</u>	<u>Method</u>	<u>Detection Limit</u> <u>(± ug/l)</u>
<u>1</u>	<u>N/A</u>	<u>N/A</u>
<u>2</u>	<u></u>	<u></u>
<u>3</u>	<u></u>	<u></u>
<u>4</u>	<u></u>	<u></u>
<u>5</u>	<u></u>	<u></u>
<u>6</u>	<u></u>	<u></u>

---

☐ Mark (X) this box if you attach a continuation sheet.

---

**CBI**

[illegible]

<sup>2</sup>Use the codes provided in Exhibit 8-2 to designate the management methods

58

PART A EMPLOYMENT AND POTENTIAL EXPOSURE PROFILE

9.01 Mark (X) the appropriate column to indicate whether your company maintains records on the following data elements for hourly and salaried workers. Specify for each data element the year in which you began maintaining records and the number of years the records for that data element are maintained. (Refer to the instructions for further explanation and an example.)

CBI  
[ ]

Data Element	Data are Maintained for:		Year in Which Data Collection Began	Number of Years Records Are Maintained
	Hourly Workers	Salaried Workers		
Date of hire	X	X	1976	13
Age at hire	X	X	1976	13
Work history of individual before employment at your facility	X	X	1976	13
Sex	X	X	1976	13
Race	X	X	1976	13
Job titles	X	X	1976	13
Start date for each job title	X	X	1976	13
End date for each job title	X	X	1976	13
Work area industrial hygiene monitoring data	X	X	July, 1989	Started
Personal employee monitoring data	X	X	July, 1989	Started
Employee medical history	X	X	1976	13
Employee smoking history	N/A	N/A	N/A	N/A
Accident history	X	X	1976	13
Retirement date	X	X	1976	13
Termination date	X	X	1976	13
Vital status of retirees	N/A	N/A	N/A	N/A
Cause of death data	N/A	N/A	N/A	N/A

[ ] Mark (X) this box if you attach a continuation sheet.

9.02 In accordance with the instructions, complete the following table for each activity in which you engage.

CBI

<input type="checkbox"/>				
a.	b.	c.	d.	e.
<u>Activity</u>	<u>Process Category</u>	<u>Yearly Quantity (kg)</u>	<u>Total Workers</u>	<u>Total Worker-Hours</u>
Manufacture of the listed substance	Enclosed	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
	Controlled Release	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
	Open	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
On-site use as reactant	Enclosed	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
	Controlled Release	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
	Open	<u>67,385</u>	<u>11</u>	<u>22,880</u>
On-site use as nonreactant	Enclosed	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
	Controlled Release	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
	Open	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
On-site preparation of products	Enclosed	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
	Controlled Release	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
	Open	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>

☐ Mark (X) this box if you attach a continuation sheet.

9.03 Provide a descriptive job title for each labor category at your facility that encompasses workers who may potentially come in contact with or be exposed to the listed substance.

CBI

☐

Labor Category

Descriptive Job Title


A	<u>556.130-010 - Leadman/Asst. Leadman</u>
B	<u>556.686-018 - Mold Stripper</u>
C	<u>556.687-026 - Pourer/Polyurethane</u>
D	<u>556.678-014 - Mold (Cell Preparer)</u>
E	<u></u>
F	<u></u>
G	<u></u>
H	<u></u>
I	<u></u>
J	<u></u>

☐ Mark (X) this box if you attach a continuation sheet.

9.04 In accordance with the instructions, provide your process block flow diagram(s) and indicate associated work areas.

CBI

☐ Process type ..... Polyurethane Joint Sealant



Q.C. Lab  
3

☐ Mark (X) this box if you attach a continuation sheet.



9.05 Describe the various work area(s) shown in question 9.04 that encompass workers who may potentially come in contact with or be exposed to the listed substance. Add any additional areas not shown in the process block flow diagram in question 7.01 or 7.02. Photocopy this question and complete it separately for each process type.

CBI

☐ Process type ..... Polyurethane Joint Sealant

Work Area ID

Description of Work Areas and Worker Activities

1	<u>Filter &amp; Metering Pump - Workers clean and replace parts.</u>
2	<u>Metering Head &amp; Pouring Station - Workers pour polyurethane &amp;</u>
3	<u>flash the line.</u>
4	<u>Quality Control Lab - Workers test material prior to use.</u>
5	<u></u>
6	<u></u>
7	<u></u>
8	<u></u>
9	<u></u>
10	<u></u>

☐ Mark (X) this box if you attach a continuation sheet.

9.06 Complete the following table for each work area identified in question 9.05, and for each labor category at your facility that encompasses workers who may potentially come in contact with or be exposed to the listed substance. Photocopy this question and complete it separately for each process type and work area.

☐ Process type ..... Polyurethane Joint Sealant

Work area ..... 1 and 2

Labor Category	Number of Workers Exposed	Mode of Exposure (e.g., direct skin contact)	Physical State of Listed Substance <sup>1</sup>	Average Length of Exposure Per Day <sup>2</sup>	Number of Days per Year Exposed
556.130-010	3	Direct Contact	OL	A	260
556.686-018	2	Inhalation	GU	E	260
556.687-026	4	Inhalation	GU	E	260
556.678-014	2	Inhalation	GU	E	260
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

<sup>1</sup>Use the following codes to designate the physical state of the listed substance at the point of exposure:

GC = Gas (condensable at ambient temperature and pressure)  
 GU = Gas (uncondensable at ambient temperature and pressure; includes fumes, vapors, etc.)  
 SO = Solid

SY = Sludge or slurry  
 AL = Aqueous liquid  
 OL = Organic liquid  
 IL = Immiscible liquid (specify phases, e.g., 90% water, 10% toluene)

<sup>2</sup>Use the following codes to designate average length of exposure per day:

A = 15 minutes or less  
 B = Greater than 15 minutes, but not exceeding 1 hour  
 C = Greater than one hour, but not exceeding 2 hours

D = Greater than 2 hours, but not exceeding 4 hours  
 E = Greater than 4 hours, but not exceeding 8 hours  
 F = Greater than 8 hours

☐ Mark (X) this box if you attach a continuation sheet.

9.07 For each labor category represented in question 9.06, indicate the 8-hour Time Weighted Average (TWA) exposure levels and the 15-minute peak exposure levels. Photocopy this question and complete it separately for each process type and work area.

CBI

☐ Process type ..... Polyurethane Joint Sealant

Work area ..... Speedseal/Large Diameter

<u>Labor Category</u>	<u>8-hour TWA Exposure Level (ppm, mg/m<sup>3</sup>, other-specify)</u>	<u>15-Minute Peak Exposure Level (ppm, mg/m<sup>3</sup>, other-specify)</u>
<u>556.130-010</u>	<u>U K</u>	<u>U K</u>
<u>556.686-018</u>	<u>U K</u>	<u>U K</u>
<u>556.687-026</u>	<u>U K</u>	<u>U K</u>
<u>556.687-014</u>	<u>U K</u>	<u>U K</u>
<u>                    </u>	<u>                    </u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>

☐ Mark (X) this box if you attach a continuation sheet.

PART B WORK PLACE MONITORING PROGRAM

9.08 If you monitor worker exposure to the listed substance, complete the following table.

CBI

[ ]

Sample/Test	Work Area ID	Testing Frequency (per year)	Number of Samples (per test)	Who Samples <sup>1</sup>	Analyzed In-House (Y/N)	Number of Years Records Maintained
Personal breathing zone	} NOTE NO. 1			A		
General work area (air)						
Wipe samples	N/A	N/A	N/A	N/A	N/A	N/A
Adhesive patches	N/A	N/A	N/A	N/A	N/A	N/A
Blood samples	N/A	N/A	N/A	N/A	N/A	N/A
Urine samples	N/A	N/A	N/A	N/A	N/A	N/A
Respiratory samples	NOTE NO. 2					
Allergy tests	N/A	N/A	N/A	N/A	N/A	N/A
Other (specify)						
Other (specify)						

NOTE NO. 2 - Program will start July 1989, using Drager Tube sampling and GMD Sure-Spot TDI Badges.

NOTE NO. 2 - Medical Testing program will start July, 1989.

<sup>1</sup>Use the following codes to designate who takes the monitoring samples:

- A = Plant industrial hygienist
- B = Insurance carrier
- C = OSHA consultant
- D = Other (specify) Company' assigned physicians and laboratory.

[ ] Mark (X) this box if you attach a continuation sheet.

9.09 For each sample type identified in question 9.08, describe the type of sampling and analytical methodology used for each type of sample.

☐ Sample Type Sampling and Analytical Methodology

\*Personal Breathing Zone - Workers wear TDI Badge.

\*Working Area - Air sampling using TDI Drager Tube.

\*Program will start July 1989.

9.10 If you conduct personal and/or ambient air monitoring for the listed substance, specify the following information for each equipment type used.

CBI

<input type="checkbox"/> <u>Equipment Type</u> <sup>1</sup>	<u>Detection Limit</u> <sup>2</sup>	<u>Manufacturer</u>	<u>Averaging Time (hr)</u>	<u>Model Number</u>
H	A	Drager	.6 hr.	6724501
D	A	GMD	8 hr.	550 Sure-Spot

<sup>1</sup>Use the following codes to designate personal air monitoring equipment types:

A = Passive dosimeter

B = Detector tube

C = Charcoal filtration tube with pump

D = Other (specify) TDI Badges

Use the following codes to designate ambient air monitoring equipment types:

E = Stationary monitors located within work area

F = Stationary monitors located within facility

G = Stationary monitors located at plant boundary

H = Mobile monitoring equipment (specify) \_\_\_\_\_

I = Other (specify) \_\_\_\_\_

<sup>2</sup>Use the following codes to designate detection limit units:

A = ppm

B = Fibers/cubic centimeter (f/cc)

C = Micrograms/cubic meter ( $\mu\text{m}^3$ )

☐ Mark (X) this box if you attach a continuation sheet.

9.11 If you conduct routine medical tests for monitoring the health effects of exposure to the listed substance, specify the type and frequency of the tests.

CBI

☐

Test Description

Frequency  
(weekly, monthly, yearly, etc.)

Respiratory Test

Yearly

☐ Mark (X) this box if you attach a continuation sheet.

---

PART C ENGINEERING CONTROLS

---

9.12 Describe the engineering controls that you use to reduce or eliminate worker exposure to the listed substance. Photocopy this question and complete it separately for each process type and work area.

CBI

[ ] Process type ..... Polyurethane Joint Sealant

Work area ..... 1. & 2

<u>Engineering Controls</u>	<u>Used (Y/N)</u>	<u>Year Installed</u>	<u>Upgraded (Y/N)</u>	<u>Year Upgraded</u>
Ventilation:				
Local exhaust	<u>Y</u>	<u>1963</u>	<u>Y</u>	<u>1987</u>
General dilution	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Other (specify)				
<u>Installation of Fans</u>	<u>Y</u>	<u>1963</u>	<u>Y</u>	<u>1988</u>
Vessel emission controls	<u>Y</u>	<u>1963</u>	<u>Y</u>	<u>1989</u>
Mechanical loading or packaging equipment	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Other (specify)				
_____	_____	_____	_____	_____

---

[ ] Mark (X) this box if you attach a continuation sheet.

---

9.13 Describe all equipment or process modifications you have made within the 3 years prior to the reporting year that have resulted in a reduction of worker exposure to the listed substance. For each equipment or process modification described, state the percentage reduction in exposure that resulted. Photocopy this question and complete it separately for each process type and work area.

CBI

☐ Process type ..... Polyurethane Joint Sealant

Work area ..... 1 and 2

<u>Equipment or Process Modification</u>	<u>Reduction in Worker Exposure Per Year (%)</u>
<u>Installation of two more exhaust fans.</u>	<u>50%</u>
<u>Added Portable Oscillating Fans.</u>	<u>50%</u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>

☐ Mark (X) this box if you attach a continuation sheet.



PART D PERSONAL PROTECTIVE AND SAFETY EQUIPMENT

9.14 Describe the personal protective and safety equipment that your workers wear or use in each work area in order to reduce or eliminate their exposure to the listed substance. Photocopy this question and complete it separately for each process type and work area.

CBI

[ ] Process type ..... Polyurethane Joint Sealant

Work area ..... 1 and 2

<u>Equipment Types</u>	<u>Wear or Use (Y/N)</u>
Respirators	<u>N</u>
Safety goggles/glasses	<u>Y</u>
Face shields	<u>N</u>
Coveralls	<u>Y</u>
Bib aprons	<u>N</u>
Chemical-resistant gloves	<u>Y</u>
Other (specify)	
_____	_____
_____	_____

[ ] Mark (X) this box if you attach a continuation sheet.

9.15 If workers use respirators when working with the listed substance, specify for each process type, the work areas where the respirators are used, the type of respirators used, the average usage, whether or not the respirators were fit tested, and the type and frequency of the fit tests. Photocopy this question and complete it separately for each process type.

CBI

☐ Process type ..... Polyurethane Joints Sealant

<u>Work Area</u>	<u>Respirator Type</u>	<u>Average Usage<sup>1</sup></u>	<u>Fit Tested (Y/N)</u>	<u>Type of Fit Test<sup>2</sup></u>	<u>Frequency of Fit Tests (per year)</u>
_____	<u>NONE USED</u>	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

<sup>1</sup>Use the following codes to designate average usage:

A = Daily

B = Weekly

C = Monthly

D = Once a year

E = Other (specify) \_\_\_\_\_

<sup>2</sup>Use the following codes to designate the type of fit test:

QL = Qualitative

QT = Quantitative

☐ Mark (X) this box if you attach a continuation sheet.

PART E WORK PRACTICES

- 9.19 Describe all of the work practices and administrative controls used to reduce or eliminate worker exposure to the listed substance (e.g., restrict entrance only to authorized workers, mark areas with warning signs, insure worker detection and monitoring practices, provide worker training programs, etc.). Photocopy this question and complete it separately for each process type and work area.

CBI

☐

Process type ..... Polyurethane Joints for Sewer Pipe

Work area ..... 1 and 2

1. Yearly medical testing: a. Respiratory Test

2. Only authorized trained personnel handles TDI.

3. Warning signs with procedures are attached to the tank.

4. All employees working at the pouring station or pit wear TDI Badges.

5. Extra exhaust fans and oscillating fans were installed.

- 9.20 Indicate (X) how often you perform each housekeeping task used to clean up routine leaks or spills of the listed substance. Photocopy this question and complete it separately for each process type and work area.

Process type .....

Work area .....

<u>Housekeeping Tasks</u>	<u>Less Than Once Per Day</u>	<u>1-2 Times Per Day</u>	<u>3-4 Times Per Day</u>	<u>More Than 4 Times Per Day</u>
Sweeping		X		
Vacuuming	N/A			
Water flushing of floors	N/A			
Other (specify)				

☐ Mark (X) this box if you attach a continuation sheet.

9.21 Do you have a written medical action plan for responding to routine or emergency exposure to the listed substance?

Routine exposure

Yes ..... RESPONSE NOT REQUIRED ..... 1

No ..... 2

Emergency exposure

Yes ..... 1

No ..... 2

If yes, where are copies of the plan maintained?

Routine exposure: \_\_\_\_\_

Emergency exposure: \_\_\_\_\_

9.22 Do you have a written leak and spill cleanup plan that addresses the listed substance? Circle the appropriate response.

Yes ..... ①

No ..... 2

If yes, where are copies of the plan maintained? On file at site

Has this plan been coordinated with state or local government response organizations? Circle the appropriate response.

Yes ..... ①

No ..... 2

9.23 Who is responsible for monitoring worker safety at your facility? Circle the appropriate response.

Plant safety specialist ..... ①

Insurance carrier ..... 2

OSHA consultant ..... 3

Other (specify) \_\_\_\_\_ 4

☐ Mark (X) this box if you attach a continuation sheet.

---

## SECTION 10 ENVIRONMENTAL RELEASE

---

### General Instructions:

Complete Part E (questions 10.23-10.35) for each non-routine release involving the listed substance that occurred during the reporting year. Report on all releases that are equal to or greater than the listed substance's reportable quantity value, RQ, unless the release is federally permitted as defined in 42 U.S.C. 9601, or is specifically excluded under the definition of release as defined in 40 CFR 302.3(22). Reportable quantities are codified in 40 CFR Part 302. If the listed substance is not a hazardous substance under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) and, thus, does not have an RQ, then report releases that exceed 2,270 kg. If such a substance however, is designated as a CERCLA hazardous substance, then report those releases that are equal to or greater than the RQ. The facility may have answered these questions or similar questions under the Agency's Accidental Release Information Program and may already have this information readily available. Assign a number to each release and use this number throughout this part to identify the release. Releases over more than a 24-hour period are not single releases, i.e., the release of a chemical substance equal to or greater than an RQ must be reported as a separate release for each 24-hour period the release exceeds the RQ.

For questions 10.25-10.35, answer the questions for each release identified in question 10.23. Photocopy these questions and complete them separately for each release.

---

### PART A GENERAL INFORMATION

---

10.01 Where is your facility located? Circle all appropriate responses.

#### CBI

- ☐ Industrial area ..... ①
- Urban area ..... 2
- Residential area ..... ③
- Agricultural area ..... ④
- Rural area ..... 5
- Adjacent to a park or a recreational area ..... 6
- Within 1 mile of a navigable waterway ..... 7
- Within 1 mile of a school, university, hospital, or nursing home facility ..... ⑧
- Within 1 mile of a non-navigable waterway ..... ⑨
- Other (specify) \_\_\_\_\_ ..... 10

---

☐ Mark (X) this box if you attach a continuation sheet.

---

- 10.02 Specify the exact location of your facility (from central point where process unit is located) in terms of latitude and longitude or Universal Transverse Mercader (UTM) coordinates.

Latitude ..... 38 ° 32 ' 24 "

Longitude ..... 121 ° 10 ' 12 "

UTM coordinates ..... Zone Township 12 , Northing Range 6 , Easting M.D.B. & M.

- 10.03 If you monitor meteorological conditions in the vicinity of your facility, provide the following information.

Average annual precipitation ..... inches/year

Predominant wind direction .....

RESPONSE NOT REQUIRED FOR TDI

- 10.04 Indicate the depth to groundwater below your facility.

Depth to groundwater ..... meters

RESPONSE NOT REQUIRED FOR TDI

- 10.05 For each on-site activity listed, indicate (Y/N/NA) all routine releases of the listed substance to the environment. (Refer to the instructions for a definition of Y, N, and NA.)

CBI

☐

On-Site Activity	Environmental Release		
	Air	Water	Land
Manufacturing	N/A	N/A	N/A
Importing	N/A	N/A	N/A
Processing	Y	N	N
Otherwise used	N/A	N/A	N/A
Product or residual storage	Y	N	N
Disposal	N/A	N/A	N/A
Transport	N/A	N/A	N/A

☐ Mark (X) this box if you attach a continuation sheet.

10.06 Provide the following information for the listed substance and specify the level of precision for each item. (Refer to the instructions for further explanation and an example.)

CBI

☐

Quantity discharged to the air ..... U K kg/yr ±      %

Quantity discharged in wastewaters ..... N/A kg/yr ±      %

Quantity managed as other waste in on-site  
treatment, storage, or disposal units ..... N/A kg/yr ±      %

Quantity managed as other waste in off-site  
treatment, storage, or disposal units ..... N/A kg/yr ±      %

☐ Mark (X) this box if you attach a continuation sheet.

10.08 Describe the control technologies used to minimize release of the listed substance for each process stream containing the listed substance as identified in your process block or residual treatment block flow diagram(s). Photocopy this question and complete it separately for each process type.

CBI

☐ Process type ..... Polyurethane Joint Sealant

<u>Stream ID Code</u>	<u>Control Technology</u>	<u>Percent Efficiency</u>
<u>N/A</u>	<u>N/A</u>	<u>N/A</u>

☐ Mark (X) this box if you attach a continuation sheet.



PART B RELEASE TO AIR

- 10.09 Point Source Emissions -- Identify each emission point source containing the listed substance in terms of a Stream ID Code as identified in your process block or residual treatment block flow diagram(s), and provide a description of each point source. Do not include raw material and product storage vents, or fugitive emission sources (e.g., equipment leaks). Photocopy this question and complete it separately for each process type.

CBI

☐

Process type ..... Polyurethane Joints Sealant

Point Source  
ID Code

Description of Emission Point Source

7.J

Pressure Relief Vent

7.N

Flushing Vents

7.O

Fan Vent

☐ Mark (X) this box if you attach a continuation sheet.



10.11 Stack Parameters -- Identify the stack parameters for each Point Source ID Code identified in question 10.09 by completing the following table.

CBI

☐

Point Source ID Code	Stack Height(m)	Stack Inner Diameter (at outlet) (m)	Exhaust Temperature (°C)	Emission Exit Velocity (m/sec)	Building Height(m) <sup>1</sup>	Building Width(m) <sup>2</sup>	Vent Type <sup>3</sup>
7.J	7.3m	.02m	27°C	U K	6.5m	22.8m	V
7.N	7.3m	.21m	27°C	U K	6.5m	22.8m	V
7.O	7.3m	.28m	27°C	U K	6.5m	22.8m	V
7.O	5.1m	.28m	27°C	U K			H

<sup>1</sup>Height of attached or adjacent building

<sup>2</sup>Width of attached or adjacent building

<sup>3</sup>Use the following codes to designate vent type:

H = Horizontal

V = Vertical

☐ Mark (X) this box if you attach a continuation sheet.

# PART C FUGITIVE EMISSIONS

10.13 Equipment Leaks -- Complete the following table by providing the number of equipment types listed which are exposed to the listed substance and which are in service according to the specified weight percent of the listed substance passing through the component. Do this for each process type identified in your process block or residual treatment block flow diagram(s). Do not include equipment types that are not exposed to the listed substance. If this is a batch or intermittently operated process, give an overall percentage of time per year that the process type is exposed to the listed substance. Photocopy this question and complete it separately for each process type.

CBI

☐ Process type ..... Polyurethane Sewer Pipe Joints  
 Percentage of time per year that the listed substance is exposed to this process type ..... 100 %

Equipment Type	Number of Components in Service by Weight Percent of Listed Substance in Process Stream					Greater than 99%
	Less than 5%	5-10%	11-25%	26-75%	76-99%	
Pump seals <sup>1</sup>						
Packed	3	N/A	N/A	N/A	2	N/A
Mechanical	N/A	N/A	N/A	N/A	N/A	N/A
Double mechanical <sup>2</sup>	N/A	N/A	N/A	N/A	N/A	N/A
Compressor seals <sup>1</sup>	N/A	N/A	N/A	N/A	N/A	N/A
Flanges	N/A	N/A	N/A	N/A	N/A	N/A
Valves						
Gas <sup>3</sup>	N/A	N/A	N/A	N/A	N/A	N/A
Liquid	N/A	N/A	N/A	N/A	N/A	4
Pressure relief devices <sup>4</sup> (Gas or vapor only)	1	N/A	N/A	N/A	N/A	N/A
Sample connections						
Gas	N/A	N/A	N/A	N/A	N/A	N/A
Liquid	1	N/A	N/A	N/A	N/A	N/A
Open-ended lines <sup>5</sup> (e.g., purge, vent)						
Gas	N/A	N/A	N/A	N/A	N/A	N/A
Liquid	N/A	N/A	N/A	N/A	N/A	N/A

<sup>1</sup>List the number of pump and compressor seals, rather than the number of pumps or compressors

10.13 continued on next page

☐ Mark (X) this box if you attach a continuation sheet.

## 10.13 (continued)

<sup>2</sup>If double mechanical seals are operated with the barrier (B) fluid at a pressure greater than the pump stuffing box pressure and/or equipped with a sensor (S) that will detect failure of the seal system, the barrier fluid system, or both, indicate with a "B" and/or an "S", respectively

<sup>3</sup>Conditions existing in the valve during normal operation

<sup>4</sup>Report all pressure relief devices in service, including those equipped with control devices

<sup>5</sup>Lines closed during normal operation that would be used during maintenance operations

10.14 Pressure Relief Devices with Controls -- Complete the following table for those pressure relief devices identified in 10.13 to indicate which pressure relief devices in service are controlled. If a pressure relief device is not controlled, enter "None" under column c.

[ ]

[illegible]

<sup>1</sup>Refer to the table in question 10.13 and record the percent range given under the heading entitled "Number of Components in Service by Weight Percent of Listed Substance" (e.g., <5%, 5-10%, 11-25%, etc.)

<sup>2</sup> The EPA assigns a control efficiency of 100 percent for equipment leaks controlled with rupture discs under normal operating conditions. The EPA assigns a control efficiency of 98 percent for emissions routed to a flare under normal operating conditions

☐ Mark (X) this box if you attach a continuation sheet.

10.15 Equipment Leak Detection -- If a formal leak detection and repair program is in place, complete the following table regarding those leak detection and repair procedures. Photocopy this question and complete it separately for each process type.

CBI

☐ Process type ..... Polyurethane Joint for Sewer Pipe

Equipment Type	Leak Detection Concentration (ppm or mg/m <sup>3</sup> ) Measured at Inches from Source	Detection Device <sup>1</sup>	Frequency of Leak Detection (per year)	Repairs Initiated (days after detection)	Repairs Completed (days after initiated)
Pump seals					
Packed	<u>U K</u>	<u>O</u>	<u>U K</u>	<u>Same Day</u>	<u>Same Day</u>
Mechanical	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Double mechanical	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Compressor seals	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Flanges	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Valves					
Gas	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Liquid	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Pressure relief devices (gas or vapor only)	<u>U K</u>	<u>O</u>	<u>U K</u>	<u>Same Day</u>	<u>Same Day</u>
Sample connections					
Gas	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Liquid	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Open-ended lines					
Gas	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Liquid	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>

<sup>1</sup>Use the following codes to designate detection device:

POVA = Portable organic vapor analyzer

FPM = Fixed point monitoring

0 = Other (specify) Immediately change to a new one.

☐ Mark (X) this box if you attach a continuation sheet.

☐ Mark (X) this box if you attach a continuation sheet.

- 10.16 Raw Material, Intermediate and Product Storage Emissions - - Complete the following table by providing the information on each liquid raw material, intermediate, and product storage vessel containing the listed substance as identified in your process block or residual treatment block flow diagram(s).

CBI

☐

Vessel Type <sup>1</sup>	Floating Roof <sup>2</sup> Seals <sup>2</sup>	Composition of Stored <sup>3</sup> Materials <sup>3</sup>	Throughput (liters per year)	Vessel Filling Rate (gpm)	Vessel Filling Duration (min)	Vessel Inner Diameter (m)	Vessel Height (m)	Vessel Volume (l)	Operat- ing	Design Flow <sup>5</sup> Rate <sup>5</sup>	Vent Diameter (cm)	Control Efficiency (%)	Basis for Estimate <sup>6</sup>
									Vessel Emission Controls <sup>4</sup>				
H	UK	100%	UK	23	30	1.06	1.23	1699	Press. Rel.	UK	1.76	UK	C
H	UK	100%	UK	23	90	1.22	3.96	4163.5	Press. Rel.	UK	1.76	UK	C

<sup>1</sup>Use the following codes to designate vessel type:

F = Fixed roof  
 CIF = Contact internal floating roof  
 NCIF = Noncontact internal floating roof  
 EFR = External floating roof  
 P = Pressure vessel (indicate pressure rating)  
 H = Horizontal  
 U = Underground

<sup>2</sup>Use the following codes to designate floating roof seals:

MS1 = Mechanical shoe, primary  
 MS2 = Shoe-mounted secondary  
 MS2R = Rim-mounted, secondary  
 LM1 = Liquid-mounted resilient filled seal, primary  
 LM2 = Rim-mounted shield  
 LMW = Weather shield  
 VM1 = Vapor mounted resilient filled seal, primary  
 VM2 = Rim-mounted secondary  
 VMW = Weather shield

<sup>3</sup>Indicate weight percent of the listed substance. Include the total volatile organic content in parenthesis

<sup>4</sup>Other than floating roofs

<sup>5</sup>Gas/vapor flow rate the emission control device was designed to handle (specify flow rate units)

<sup>6</sup>Use the following codes to designate basis for estimate of control efficiency:

C = Calculations  
 S = Sampling

**GLADDING McBEAN**  
P.O. BOX 97  
LINCOLN, CALIFORNIA 95648

**To** Document Processing Center  
Office of Toxic Substances, TS-790  
U.S. Environmental Protection Agency  
401 M St., SW  
Washington, DC 20460

Attn: CAIR Reporting Office

